



65-08-01

HA # 3 SECTOR

Express Mail No.: EL 501 638 858 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: MILLER *et al.*

Application No.: 09/766,044

Group Art Unit: 2862

Filed: January 19, 2001

Examiner: To be assigned

For: APPARATUS AND METHOD FOR
MAGNETIC RESONANCE
MEASUREMENTS IN INTERIOR
VOLUME

Attorney Docket No.: 7420-061-999

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the NOTICE TO FILE CORRECTED APPLICATION PAPERS *FILING DATE GRANTED* (the "Notice"), dated March 5, 2001, a copy of which is enclosed, Applicants submit herewith eight (8) sheets of Formal Drawings (Figs. 1-8) for the above-identified application. Applicants respectfully request that the drawings originally submitted with the filing of this application be replaced with the drawings submitted herewith.

As this response is timely filed on Monday, May 7, 2001, no fee is believed to be due. However, if it should be determined that a fee is required, Please charge the required fee to Pennie & Edmonds LLP Deposit Account No. 16-1150.

Respectfully submitted,

for Oguzan U. Sheutor, R.N. 38,051
Francis E. Morris

Date May 7, 2001

Francis E. Morris

24,615

(Reg. No.)

PENNIE & EDMONDS LLP
1155 Avenue of the Americas
New York, New York 10036-2711
(212) 790-9090

Enclosures



UNITED STATES PATENT AND TRADEMARK OFFICE


COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/766,044	01/19/2001	Melvin N. Miller	7420-061-999

20583
PENNIE AND EDMONDS
1155 AVENUE OF THE AMERICAS
NEW YORK, NY 100362711

CONFIRMATION NO. 9617

FORMALITIES LETTER



OC000000005824388

Date Mailed: 03/05/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE